



| REF | PART NO. | QTY | DESCRIPTION      | SEE SEC. | NOTES          |
|-----|----------|-----|------------------|----------|----------------|
| 1   | 241510   | 1   |                  |          |                |
| 2   | 240910   | 1   | • Governor       | 02C-0750 |                |
| 3   | 240072   | 1   |                  | 02C-0850 | REPL BY 243083 |
|     | 243083   | 1   | • Feed pump      | 02C-0850 |                |
| 4   |          | 1   | • PUMP HOUSING   |          |                |
| 5   | 239982   | 6   | • Tappet         |          |                |
| 6   | 240779   | 6   | • • Bolt         |          |                |
| 7   | 240780   | 6   | • • Bushing      |          |                |
| 8   | 240781   | 6   | • • Roller       |          |                |
| 9   | 238379   | 6   | • • Plate        |          |                |
| 10  | 239986   | 6   | • Spring disc    |          |                |
| 11  | 244065   | 6   | • Spring         |          | (239985)       |
| 12  | 239984   | 6   | • Spring disc    |          |                |
| 13  | 240782   | 6   | • Control sleeve |          |                |
| 14  | 239991   | 6   | • Cover          |          |                |
| 15  | 241677   | 6   | • Washer         |          |                |
| 16  | 239990   | 6   | • Lock ring      |          |                |
| 17  | 240003   | 6   | • Spacer ring    |          |                |
| 18  | 240002   | 6   | • O-ring         |          |                |
| 19  | 240424   | X   | • Gasket         |          | TH = 0,15 MM   |
|     | 240004   | X   | • Gasket         |          | TH = 0,40 MM   |
|     | 240005   | X   | • Gasket         |          | TH = 0,50 MM   |
|     | 240006   | X   | • Gasket         |          | TH = 0,60 MM   |
|     | 240007   | X   | • Gasket         |          | TH = 0,70 MM   |
|     | 240008   | X   | • Gasket         |          | TH = 0,80 MM   |
| 20  |          | 6   | • BUSHING        |          | ACCESSORY.     |
| 21  | 239989   | 6   | • O-ring         |          |                |
| 22  | 240422   | 6   | • O-ring         |          |                |
| 23  | 240808   | 6   | • Pump element   |          |                |
| 24  | 240423   | 6   | • Delivery valve |          |                |
| 26  | 240969   | 6   | • Spring         |          |                |
| 27  | 241745   | 6   | • Gasket         |          |                |
| 28  | 240001   | 6   | • Gasket         |          |                |
| 29  | 240970   | 6   |                  |          |                |
| 30  | 240009   | 6   | • Pressure plate |          |                |
| 31  | 240010   | 12  | • Screw          |          |                |
| 32  | 941908   | 12  | • Spring washer  |          |                |
| 33  | 955783   | 12  | • Nut            |          |                |
| 34  | 240011   | 1   | • Cover          |          |                |
| 35  | 956209   | 2   | • Screw          |          |                |
| 36  | 18891    | 2   | • Lock washer    |          |                |
| 37  | 240907   | 1   | • Control rod    |          |                |
| 38  | 240014   | 2   | • Guide sleeve   |          |                |
| 39  | 244008   | 1   | • Lock pin       |          | (131015)       |
| 40  | 240015   | 1   | • Bushing        |          |                |
| 41  | 240121   | 2   | • Plug           |          |                |
| 42  | 240017   | 1   | • Gasket         |          |                |

| REF | PART NO. | QTY | DESCRIPTION         | SEE SEC. | NOTES                        |
|-----|----------|-----|---------------------|----------|------------------------------|
| 43  | 240971   | 6   | · Plug              |          |                              |
| 44  | 240972   | X   | · Washer            |          | TH = 0,2 MM                  |
|     | 240973   | X   | · Washer            |          | TH = 0,5 MM                  |
| 45  | 240429   | 6   | · Plug              |          |                              |
| 46  | 6637599  | 1   | · Plug              |          |                              |
| 47  | 11996    | 1   | · Gasket            |          |                              |
| 48  | 240789   | 1   | · Camshaft          |          |                              |
| 49  | 240426   | 1   | · Bearing           |          |                              |
| 50  | 240427   | 2   | · Screw             |          |                              |
| 51  | 941906   | 2   | · Spring washer     |          |                              |
| 52  | 240023   | 1   | · Roller bearing    |          |                              |
| 53  | 240022   | 1   | · Sealing ring      |          |                              |
| 54  | 239460   | 1   | · Gasket            |          |                              |
| 55  | 240024   | X   | · Adjusting washer  |          | TH = 0,10 MM                 |
|     | 240025   | X   | · Adjusting washer  |          | TH = 0,12 MM                 |
|     | 240026   | X   | · Adjusting washer  |          | TH = 0,14 MM                 |
|     | 240027   | X   | · Adjusting washer  |          | TH = 0,16 MM                 |
|     | 240028   | X   | · Adjusting washer  |          | TH = 0,18 MM                 |
|     | 240029   | X   | · Adjusting washer  |          | TH = 0,30 MM                 |
|     | 240030   | X   | · Adjusting washer  |          | TH = 0,50 MM                 |
| 56  | 240021   | 1   | · Cover             |          |                              |
| 57  | 956094   | 4   | · Screw             |          |                              |
| 58  | 941906   | 4   | · Spring washer     |          |                              |
| 59  | 955806   | 1   | · Nut               |          |                              |
| 60  | 941913   | 1   | · Spring washer     |          |                              |
| 61  | 35168    | 1   | · Key               |          |                              |
| 62  | 240023   | 1   | · Roller bearing    |          |                              |
| 63  | 240032   | 1   | · Ring              |          |                              |
| 64  | 240033   | X   | · Adjusting washer  |          | TH = 1,2 MM                  |
|     | 240034   | X   | · Adjusting washer  |          | TH = 1,5 MM                  |
|     | 240035   | X   | · Adjusting washer  |          | TH = 1,8 MM                  |
|     | 240036   | X   | · Adjusting washer  |          | TH = 2,0 MM                  |
| 65  |          | 1   | · COVER             |          | D42A PP SPEC. 16053, 867638. |
| 66  | 240039   | 1   | · Gasket            |          |                              |
| 67  | 956205   | 12  | · Screw             |          |                              |
| 68  | 239896   | 1   | · Gasket            |          |                              |
| 69  | 130673   | 3   | · Stud              |          |                              |
| 70  | 955781   | 3   | · Nut               |          |                              |
| 71  | 941906   | 3   | · Spring washer     |          |                              |
| 72  | 241647   | 1   | · Setting indicator |          |                              |
| 73  | 955268   | 2   | · Screw             |          |                              |
| 74  | 941906   | 2   | · Spring washer     |          |                              |
| 75  | 870911   | 1   | · Plug              | 02C-0750 |                              |