



REF	PART NO.	QTY	DESCRIPTION	SEE SEC.	NOTES
1	833163	1	Camshaft		
2	910121	2	Key		
3	405079	1	Flange		
4	15256	2	Washer		
5	955296	2	Screw		
6	405026	1	Gear		
7	897248	1	Camshaft		
8	803348	1	Washer		
9	807031	1	Screw		SEE GROUP 2B
10	807393	4	Tappet		
11	403130	4	Push rod		
12	403561	2	Rocker arm, INTAKE		
	803247	2	Rocker arm, EXHAUST		
13	955800	4	· Lock nut		
14	403155	4	· Ball stud		
15	18146	4	· Bushing		
16	833222	2	Shaft		
17	191173	8	Adjusting washer		TH = 0,7 MM
18	914452	4	Lock ring		
19	833223	2	Bearing bracket		
20	955300	2	Screw		
21	833569	2	Stud	02A-1550	
22	833188	2	Valve		
	829620	2	Valve		
23	419653	2	Valve guide, INTAKE	02A-1550	
	829867	2	Guide sleeve, EXHAUST	02A-1550	
24	1306630	2	Valve seal, INTAKE		(833347)
25	829622	4	Valve spring		
26	403314	4	Washer		
27	403315	8	Lock		
28	896580	4	Valve cap	IK	
29	925053	2	O-ring	IK	
30	955800	2	Lock nut		
31	403155	2	Ball stud		
32		2	SHAFT		MO-12822. REPLACED BY 2EA 833499 + 2EA 945292 + 2EA 940344.
	833499	2	Shaft		MO 12822-
33	803604	2	Spring		
34	919118	2	Set screw		
35	955781	2	Nut		
36	897390	2	Screw		MO-12822
	945292	2	Stud		MO 12823-
37	807042	2	Ball		MO-12822
	940344	2	Ball		MO 12823-
38	74033	2	Hollow screw	02A-1850	
39	957171	4	Gasket	IK 02A-1850	
40		1	TIMING GEAR COVER		EARLY TYPE. REPLACED BY TIMING GEAR COVER 829654 + PLUG 833521 + PACKING 957181.
	829654	1	Cover		
41	803360	1	Gasket	IK	
42	950586	2	Pin	02A-0450	
43	833041	1	Bushing		SEE GROUP 2C
44		1	PLUG		MO-13397. REPLACED BY 1EA 833511 + 1EA 807363.
	833511	1	Plug		MO 13398-18346
	833496	1	Plug		MO 18347-
45	925065	1	O-ring	IK	MO-13397
	807363	1	Sealing ring		MO 13398-18346
	957191	1	Gasket	IK	MO 18347-
46	833766	1	Hatch		MO 22019-
47	957175	1	Gasket	IK	MO 22019-
48	16322	1	Plug		MO 22019-
49	897327	1	Gasket	IK	
50	955273	4	Screw		L = 22 MM

