

REF	PART NO.	QTY	DESCRIPTION	NOTES
1	3876394	1	Reversing mechanism	
2	3876297	1	· Intermediate section	
3	3876374	1	· Gear ring	
4	183586	1	· Needle bearing	
5	914478	1	· Lock ring	
6	3876410	1	· Support ring	
7	19283	1	· Bearing	
8	914548	1	· Snap ring	
9	958897	1	· Sealing ring	
10	3876379	1	· Sleeve	
11	925064	1	· O-ring	
12	959219	4	· Screw	
13	3876421	2	· Tensioning ring	
14	3876380	1	· Lock nut	
15	3876333	1	· Housing	
16	3876418	1	· Gasket	
17	959220	4	· Screw	
18	3876382	1	· Draw sleeve	
19	925059	2	· O-ring	
20	925061	1	· O-ring	
21	3849218	2	· Tensioning ring	
22	3849217	1	· Lock nut	
23	914465	1	· Lock ring	
24	3876408	1	· Support ring	
25	181549	1	· Ball bearing	
26	914533	1	· Snap ring	
27	3876381	1	· Draw sleeve	
28	3876383	1	· Shaft	
29	3876388	1	· Sleeve	
30	840222	1	· Sealing ring	
31	3877060	1	· Lever	
32	955320	1	· · Screw	
33	3876385	1	· Shaft	
34	3876389	1	· Sleeve	
35	3876565	1	· Cam	
36	955783	1	· Nut	
37	941908	1	· Spring washer	
38	3876390	1	· Cover	
39	3876564	1	· · Shaft	
40	951946	1	· · Tensioning din	
41	3876419	1	· Gasket	
42	959220	4	· Screw	
43	955976	1	· O-ring	
44	3876560	1	· Control arm	
45	840253	1	· Spring	
46	960148	1	· Washer	
47	907834	1	· Cotter pin	(17276)
48	3876334	1	· Cover	
49	3876420	1	· Gasket	
50	959219	3	· Screw	
51	840223	1	· Sealing ring	
52	3824387	1	· Lubricator	
53		1	· CONTROL ROD	MO-5159. REPLACED BY 840024 + 959079 + 3EA 955781 + 961786 + 913110.
54		2	· BALL JOINT	MO-5159. REPLACED BY 840024 + 959079 + 3EA 955781 + 961786 + 913110.
55	840221	4	· Nut	MO-5159
56	840024	1	· Rod	MO 5160-
57	959079	1	· Ball joint	MO 5160-
58	955781	3	· Nut	MO 5160-
59	961786	1	· Fork	MO 5160-
60	913110	1	· Clevis pin	MO 5160-
61	907824	1	· Cotter pin	MO 5160-
62	3876993	1	· Sleeve	
63	910126	1	· Key	
64	963050	1	· Screw	

REF	PART NO.	QTY	DESCRIPTION	NOTES
65	3847389	1	Cable	SEE GROUP 2D