



7335

REF	PART NO.	QTY	DESCRIPTION	NOTES
1	847427	1	Regulator	
2	6212208	1	· Weight kit	
3	233052	1	· · Screw kit	
4	241123	1	· · Cardboard tube	
5	241122	1	· · Companion flange	
6	233130	4	· · Rubber damper	
7	240678	1	· · Nut	
8	238106	X	· · Adjusting washer	TH = 1,60 MM
	244755	X	· · Adjusting washer	TH = 1,65 MM
	244756	X	· · Adjusting washer	TH = 1,70 MM
	244758	X	· · Adjusting washer	TH = 1,75 MM
	244760	X	· · Adjusting washer	TH = 1,80 MM
	244761	X	· · Adjusting washer	TH = 1,85 MM
	233088	X	· · Adjusting washer	TH = 1,90 MM
	233413	X	· · Adjusting washer	TH = 1,95 MM
	244766	X	· · Adjusting washer	TH = 2,00 MM
	240563	X	· · Washer	TH = 2,05 MM
	244770	X	· · Adjusting washer	TH = 2,10 MM
9	241764	2	· Spring	
9A	243087	2	· Washer	TH = 0,5 MM
9B	239300	4	· Adjusting washer	TH = 0,5 MM
10	233417	2	· Spring	
11	244616	2	· Spring	
12	239297	2		TH = 17,45 MM
	239298	2	· Spring disc	TH = 17,60 MM
	239299	2		TH = 17,75 MM
13	244622	2	· Spring disc	
14	244623	2	· Nut	
15	240051	1	· Bushing	
16	241801	1	· Adjusting screw	
17	240682	1	· Link section	
18	955270	2	· Screw	
19	240565	2	· Striker plate	
20	240683	1	· Arm	
21	244397	1	· Link yoke	
22	243447	1	· Screw	
23	907819	1	· Cotter pin	
24	240566	1	· Guide lug	
25	907819	1	· Cotter pin	
26	956076	2	· Screw	
27	941905	2	· Spring washer	
28	244718	1	· Washer	
29	244719	1	· Spring	
30	241765	1	· Housing	
31		1	· · HOUSING	
32	240059	2	· · · Bushing	
33	233404	1	· · Shaft	
34	907824	2	· · Cotter pin	
35	77582	1	· · Key	
36	240061	1	· · Spring	
37	240060	1	· · Lever	
38	241102	1	· · Screw	
39	239908	2	· · Gasket	
39A	233372	X	· · Washer	TH = 0,3 MM
40	25703	2	· · Washer	
41	240689	1	· Gasket	
42	240688	1	· Plug	
43	240120	1	· Bushing	
43A	240919	1	· Plug	
44	240058	1	· Gasket	
45	955272	8	· Screw	
46	941906	8	· Spring washer	
47	244467	1	· Cover	
48		1	· · COVER	

REF	PART NO.	QTY	DESCRIPTION	NOTES
49	240691	2	. . . Bushing	
49A	239925	1	. . . Bushing	
50	240434	1	. . . Shaft	
51	244666	1	. . Link arm	
52	238128	2	. . Washer	
53	233103	2	. . Pin	
54	238127	1	. . Angle piece	
54A	244625	1	. . Striker plate	
55	233071	X	. . Plate	TH = 0,20 MM
	233072	X	. . Plate	TH = 0,30 MM
	240568	X	. . Plate	TH = 0,50 MM
	233427	X	. . Plate	TH = 0,80 MM
56	233104	2	. . Pin	
57	955273	1	. . Screw	
57A	941906	1	. . Spring washer	
58	233091	1		
59	240063	1	. . Sealing ring	
60	238132	X	. . Adjusting washer	TH = 1,00 MM
	240065	X	. . Washer	TH = 2,50 MM
61	239316	1	. . Lever	
62	955272	1	. . . Screw	
63	910112	1	. . Key	
64	241847	1	. . Screw	
65	955781	1	. . Nut	
66	240570	1	. . Screw	
67	18836	1	. . Gasket	
68	244553	1	. Screw	
69	243844	1	. Nut	
70	244554	1	. Screw	
71	239889	1	. Gasket	
72	956097	5	. Screw	
73	239927	1	. Guide screw	
74	18836	1	Gasket	