



16012

REF	PART NO.	QTY	DESCRIPTION	NOTES
1	863476	1	Governor	
2		1	· Regulator housing	
3		1	· · Housing	
4		2	· · · Bushing	
5		1	· · Shaft	
6		1	· · · Lever	
7		1	· · Screw	
8		2	· · O-ring	
9		2	· · Washer	
10		X	· · Washer	TH = 0,30mm
11		2	· · Lock pin	
12		1	· · Key	
13		1	· · Lever	
14	955246	1	· · Screw	
15		2	· Screw	
16		4	· Washer	
17		6	· Screw	
18		2	· Spring disc	
19	849829	2	· Regulator spring	STD
	847909	2	· Regulator spring, Ambac-actuator	1500 RPM
	862434	2	· Regulator spring	1800 RPM
	849829	2	· Regulator spring, Ambac-actuator	1800 RPM
20	849828	2	· Regulator spring	STD
	862772	2	· Regulator spring, Ambac-actuator	1500 RPM
				1800 RPM
	862773	2	· Regulator spring, Ambac-actuator	1800 RPM
21	848304	2	· Regulator spring	STD
	870386	2	· Regulator spring, Ambac-actuator	1500 RPM
	849829	2	· Regulator spring	1800 RPM
22		2	· Spring disc	
23		2	· Nut	
24		1	· Washer	
25		2	· Washer	
26		1	· Bushing	
27		2	· Striker plate	
28		2	· Screw	
29		2	· Lock spring	
30		1	· Link	
31		1	· Guide lug	
32		2	· Screw	
33		2	· Washer	
34		1	· Screw kit	
35		1	· Bolt	
36		1	· Guide screw	
37		1	· Cover	CMPL
38		1	· · Cover	
39		2	· · Bushing	
40		1	· · Nipple	
41		1	· · Lever	
42		1	· · Retainer	
43		1	· · Shaft	
44		2	· · Pin	
45	910112	1	· · Key	
46		1	· · Lever	
47	955273	1	· · Screw	
48		1	· · Screw	
49	955781	1	· · Nut	
50		2	· · Seal	
51		1	· · Spring washer	
52		1	· · Screw	
53		2	· · Pin	
54		1	· · Anchorage	
55		2	· · Washer	
56		2	· · Stud	

REF	PART NO.	QTY	DESCRIPTION	NOTES
57		1	• • Bracket	
58		1	• • Screw	
59	955892	1	• • Washer	
60		1	• • Anchorage	
61	1698167	1	• Gasket	SO
62		1	• Gasket	
63	18836	1	• Gasket	
64		1	• Screw	
65		1	• Nut	
66		1	• Screw	
67		5	• Screw	
68		2	• Plug	
69		1	• Protecting casing	
70	240017	1	• Gasket	
71		1	• Adjuster screw	
72		1	• Link section	
73		1	• Arm	
74		1	• Gasket	
75		1	• Gasket	
76		1	• Stop, shoulder	
77		1	• Cover	
78	949607	2	• Spring washer	
79		2	• Screw	
80		1	• Washer	
81		1	• Spring	
82		1	• Plug	
83		2	• Gasket	
84		2	• Sleeve	
85		1	• Hub kit	
86		1	• • Nut	
87		X	• • Shim	TH = 1,60mm
		X	• • Shim	TH = 1,63mm
		X	• • Shim	TH = 1,72mm
		X	• • Shim	TH = 1,75mm
		X	• • Shim	TH = 1,78mm
		X	• • Shim	TH = 1,81mm
		X	• • Shim	TH = 1,87mm
		X	• • Shim	TH = 1,90mm
		X	• • Shim	TH = 1,93mm
		X	• • Shim	TH = 1,96mm
		X	• • Shim	TH=1,99mm
		X	• • Shim	TH=2,02mm
		X	• • Shim	TH=2,05mm
		X	• • Shim	TH=2,08mm
		X	• • Shim	TH=2,14mm
88		1	• • Cardboard tube	
89		1	• • Companion flange	
90		4	• • Rubber damper	
91		1	Control rod	