



8852

REF	PART NO.	QTY	DESCRIPTION	SEE SEC.	NOTES
1	854027	1	Intermediate housing		
2	897829	1	• Gear yoke		
3	814397	1	• Coupling rod		
4	897447	1	• Shaft		
5	897511	1	• Washer		
6	17253	1	• Split pin		
7	925259	1	O-ring		
8	943252	X	Shim		TH = 0,05 MM
	943866	X	Shim		TH = 0.1mm
	943867	X	Shim		TH = 0.2mm
	967557	X	Shim		TH = 0,30mm
	943868	X	Shim		TH = 0.4mm
9	875365	1	Fork		
10	940194	1	• Lubricating nipple		
11	814388	1	• Bushing		
12	183391	1	• Needle roller bushin		
13	181620	2	• Sealing ring		
14	959456	2	Hex. socket screw		
15	942551	2	Washer		
16	814390	2	Plastic washer		ALT
17	941885	2	Lock nut		
18	897448	1	Control rod		
19	813954	1	Fork		
20	940190	1	Hexagon nut		
21	192662	1	Split pin		
22	17253	2	Split pin		
23	814386	1	Steering knuckle		
24	941820	1	O-ring		
25	897696	1	Washer		
26	941809	1	Hex. socket screw		
27	941808	2	Hex. socket screw		
28	851766	1	Hose connection		REPL BY 854031 SEE GROUP 4A
29	814356	1	Sealing		
30	941813	2	Hex. socket screw		
31					
33	897644	1	Tube		
34	125017	2	O-ring		
35		1	Cable attachment		
36	940168	2	Hexagon screw		
37	940191	2	Washer		
38		2	Bushing		
39	804312	1	Cube		
40	907834	1	Split pin		(17276)
41	940191	2	Washer		
42	814434	1	Reverse tilt inhibit		
43	814391	2	• Latch		
44	814389	1	• Bearing sleeve		
45	814422	2	• Spacer washer		
46	852046	1	• Push rod		(814421)
46B		1	• • NUT		(940197)
47	897722	1	• Thrust sleeve		
48	814394	1	• Lock brace		
49	814395	2	• Spindle		
50	832534	1	• Spring		
51	814399	1	• Shaft		
52	943194	1	• Washer		
53	814392	1	• Spring hook		
54	814419	1	• Shaft		
55	814393	1	• Spring hook		
56	943197	2	• Lock nut		
57	814398	1	• Spindle		
58	814396	1	• Spring		
59	814332	2	• Spring		

<b>REF</b>	<b>PART NO.</b>	<b>QTY</b>	<b>DESCRIPTION</b>	<b>SEE SEC.</b>	<b>NOTES</b>
60		X	CONTROL CABLE		SEE GROUP 9
61	941814	2	Stud	17508	
	941807	2	Hex. socket screw		
62		1	Decal		
63	853717	1	Decal		
	875361	1	Repair kit, REPAIR KIT ASTERN LEVER		

