



2852

REF	PART NO.	QTY	DESCRIPTION		NOTES
1	839211	1	Upper gear unit		
2	832126	1	· Housing		
3	961638	1	· · Pin		
4	832139	1	· Gear housing cover		
5	804342	1	· · Screw		
6	804344	1	· · Gasket	IK	
7	813952	1	· · Locating pin		
8	832140	1	· · Washer		
9	832143	1	· Gear housing cover		
10	950512	1	· · Pin		
11	839220	1	· Cable attachment		
12	819067	1	· Brace		
13	819068	1	· Washer		
14	950022	2	· Screw		
15	940092	2	· Nut		
16	941906	4	· Spring washer		
17	940094	4	· Screw		
18	839212	1	· Gear set		
19	181287	2	· Ball bearing		
20	181290	2	· Ball bearing		
21	832920	1	· Bearing box		
22	832921	1	· Bearing cover		
23	956571	6	· Screw		
24	941907	6	· Spring washer		
25	832952	1	· Gasket	IK	
26	925094	1	· O-ring	IK	
27	955995	1	· O-ring	IK	
28	832128	X	· Intermediate ring		TH = 11,850 MM
	832129	X	· Intermediate ring		TH = 11,875 MM
	832130	X	· Intermediate ring		TH = 11,900 MM
	832131	X	· Intermediate ring		TH = 11,925 MM
	832132	X	· Intermediate ring		TH = 11,950 MM
	832133	X	· Intermediate ring		TH = 11,975 MM
	832134	X	· Intermediate ring		TH = 11,000 MM
29	832923	1	· Nut		
30	907025	1	· Lock washer	IK	
31	804205	1	· Cover		
32	958856	1	· Sealing ring	IK	
33	940135	6	· Screw		
34	941907	6	· Spring washer		
35	813949	1	· Bearing sleeve		
36	951953	1	· Pin		
37	925257	2	· O-ring	IK	
38	804301	X	· Adjusting washer		TH = 0,05 MM
	804221	X	· Adjusting washer		TH = 0,1 MM
	804394	X	· Adjusting washer		TH = 0,2 MM
39	84219	X	· Adjusting washer		TH = 0,1 MM, EARLY TYPE
40	804299	X	· Adjusting washer		TH = 0,05 MM
	804220	X	· Adjusting washer		TH = 0,1 MM
	804393	X	· Adjusting washer		TH = 0,2 MM
41	804298	X	· Adjusting washer		TH = 0,5 MM
	804219	X	· Adjusting washer		TH = 0,1 MM
	804392	X	· Adjusting washer		TH = 0,2 MM
42	875169	1	· Sliding sleeve		
43		1	· · SLIDING SLEEVE		
44	955076	1	· · Plug		
45	181268	4	· Needle bearing		
46	941280	1	· Lock ring		
47	813970	1	· Spring		
48	813939	2	· Spacer ring		
49	850761	2	· Pin		
50	814030	2	· Lock ring	IK	
51	813943	1	· Piston		
52	813945	1	· Spring		

REF	PART NO.	QTY	DESCRIPTION	NOTES
53	813999	1	· Needle bearing	
54	205	1	· Ball	
55	813942	1	· Shaft	
56	958807	1	· Sealing ring	IK (940398)
57	839240	1	· Lever	
58	959616	1	· Screw	
59	813934	1	· Companion flange	
60	925093	1	· O-ring	IK
61	839288	1	· Tensioning din	
62	832137	1	· Oil dipstick	
63	804261	1	· Gasket	IK
64	940172	4	· Screw	
65	813941	X	· Spacer ring	TH = 5,0 MM
	813971	X	· Spacer ring	TH = 5,1 MM
	813972	X	· Spacer ring	TH = 5,2 MM
	813973	X	· Spacer ring	TH = 5,3 MM
	813974	X	· Spacer ring	TH = 5,4 MM
66	813674	1	· Cube	
67	940191	1	· Washer	
68	907834	1	· Cotter pin	(17276)
69	804425	1	· Sign	
70	804269	4	· Drive screw	
71	875512	4	· Rubber bellows	
72	961677	2	· Clamp	