



| REF | PART NO. | QTY | DESCRIPTION | SEE SEC. | NOTES |
|-----|----------|-----|---------------------|----------|------------------------|
| 1 | 834035 | 1 | | | RATIO 1:1 |
| 2 | 827617 | 1 | · Companion flange | | |
| 3 | 959223 | 4 | · Screw | | |
| 4 | 941907 | 4 | · Spring washer | | |
| 5 | 834036 | 1 | · Cover | | |
| 6 | 852156 | 1 | · Gasket | IK | |
| 7 | 958878 | 1 | · Sealing ring | IK | |
| 8 | 914472 | 1 | · Lock ring | | |
| 10 | 19578 | 1 | · Ball bearing | | |
| 12 | 914540 | 1 | · Lock ring | | |
| 13 | 914517 | 1 | · Lock ring | | |
| 14 | 827317 | 1 | · Plug | | |
| 15 | 955997 | 1 | · O-ring | IK | |
| 16 | 827583 | 1 | · Screw | | |
| 17 | 827665 | 1 | · Washer | | |
| 18 | 827315 | 1 | · Washer | | |
| 19 | 25930 | X | · Adjusting washer | | TH = 0,10 MM |
| | 120073 | X | · Shim | | TH = 0,50 MM |
| 21 | 827309 | 1 | · Gear | | |
| 22 | 944013 | 1 | · Key | | |
| 23 | 181268 | 4 | · Needle bearing | | |
| 24 | 813939 | 2 | · Spacer ring | | |
| 25 | 827590 | 1 | · Sleeve | | |
| 26 | 827310 | 1 | · Gear | | |
| 27 | 914540 | 1 | · Lock ring | | |
| 28 | 19578 | 1 | · Ball bearing | | |
| 29 | 914472 | 1 | · Lock ring | | |
| 30 | 827589 | 1 | · Axle shaft | | |
| 31 | 850761 | 1 | · Pin | | |
| 33 | 813941 | 1 | · Spacer ring | | |
| 34 | 814030 | 1 | · Lock ring | | |
| 35 | 827314 | 4 | · Bushing | | |
| 36 | 183366 | 4 | · Needle bearing | | |
| 37 | 827312 | 2 | · Gear | | |
| 38 | 834008 | 2 | · Spacer sleeve | | |
| 39 | 951931 | 2 | · Tensioning din | | |
| 40 | 827313 | 2 | · Planet shaft | | |
| 41 | 827306 | 1 | · Planetary housing | | |
| 42 | 960628 | 1 | · Plug | | |
| 43 | 834452 | 1 | · Gasket | IK | |
| 44 | 925063 | 1 | · O-ring | IK | |
| 45 | 941338 | X | · Locking wire | | L = 300 MM, EARLY TYPE |
| 46 | 839136 | 2 | · Spring | | EARLY TYPE |
| 47 | 60309 | 2 | · Ball | | EARLY TYPE |

| REF | PART NO. | QTY | DESCRIPTION | SEE SEC. | NOTES |
|-----|----------|-----|---|-------------|---|
| 48 | 955272 | 4 | • Screw | | |
| 49 | 839505 | 1 | • Bearing housing | | |
| 50 | 814184 | 1 | • Spring | | |
| 51 | 814603 | 1 | • Dog | | |
| 53 | 951924 | 1 | • Tensioning din | | |
| 54 | 942871 | 1 | • Pin | | |
| 55 | 897816 | 1 | • Eccentric piston • Bulletin P-44-1-7 | P-44-1-7-EN | Shift mechanism, eccentric piston TH = 0,20 MM |
| 56 | 897871 | X | • Adjusting washer | | |
| 57 | 897711 | 1 | • Screw | | |
| 58 | 827341 | 1 | • Oil dipstick | | |
| 60 | 925053 | 1 | • O-ring | IK | |
| 61 | 15305 | 1 | • Gasket | IK | |
| 62 | 198 | 1 | • Screw | | |
| 63 | 827307 | 1 | • Bearing housing | | |
| 64 | 941907 | 4 | • Spring washer | | |
| 65 | 955297 | 4 | • Screw | | |
| 66 | 955073 | 1 | • Plug | | EARLY TYPE |
| 67 | 914462 | 1 | • Lock ring | | |
| 68 | 181286 | 1 | • Ball bearing | | |
| 69 | 914533 | 1 | • Snap ring | | |
| 70 | 958863 | 1 | • Sealing ring | IK | |
| 71 | 827901 | 1 | • Companion flange | | |
| 72 | 192211 | 1 | • • Plug | | |
| 73 | 827889 | 1 | • Gasket | IK | |
| 74 | 875576 | 1 | Gasket kit | | SEE GROUP 10 |