



REF	PART NO.	QTY	DESCRIPTION	SEE SEC.	NOTES
1	241737	1	Centrifugal governor		
2	240856	1	• Hub		
3	241123	1	• Cardboard tube		
4	238106	X	• Adjusting washer		TH = 1.60 MM
	238105	X	• Adjusting washer		TH = 1.65 MM
	233090	X	• Adjusting washer		TH = 1.70 MM
	233415	X	• Adjusting washer		TH = 1.75 MM
	233089	X	• Adjusting washer		TH = 1.80 MM
	233414	X	• Adjusting washer		TH = 1.85 MM
	233088	X	• Adjusting washer		TH = 1.90 MM
	233413	X	• Adjusting washer		TH = 1.95 MM
	233087	X	• Adjusting washer		TH = 2.00 MM
	240563	X	• Washer		TH = 2.05 MM
	240564	X	• Washer		TH = 2.10 MM
5	240678	1	• Nut		
6	241122	1	• Companion flange		
7	233130	4	• Rubber damper		
8	233052	1	• Screw kit		
9	955892	1	• • Washer		(241099)
10	955781	2	• • Nut		
11	233061	1	• • Washer		
12	241764	1	• Spring		FOR GOVERNOR 228-750.
13	239298	2	• Spring disc		TH = 3.75 MM
14	238743	2	• Spring		
15	240884	2	• Spring		
16	241101	2	• Spring disc		
17	233082	2			
18	241769	1			
19	240059	2	• • Bushing		
20	239908	2	• Gasket		
21	233404	1	• Shaft		
22	240060	1	• Lever		
23	240061	1	• Spring		
24	233441	1	• Lock screw		
25	25703	2	• Washer		
26	233372	X	• Washer		
27	907824	2	• Cotter pin		
28	77582	1	• Key		
29	240860	8			
30	941906	9	• Spring washer		
31	241801	1	• Adjusting screw		
32	240682	1	• Link section		
33	240051	1	• Bushing		
34	955270	2	• Screw		
35	240565	2	• Striker plate		
36	240683	1	• Arm		
37	241766	1	• Link		
38	243447	1	• Screw		
39	241105	1			
40	240854	1			
41	907824	1	• Cotter pin		
42	956076	1	• Screw		

REF	PART NO.	QTY	DESCRIPTION	SEE SEC.	NOTES
43	941905	1	• Spring washer		
44	240054	1			
45	240567	1	• Spring disc		
46	240688	2	• Plug		
47	240689	2	• Gasket		
49	240058	1	• Gasket		
50	241767	1			
51	240691	2	• • Bushing		
52	240570	1	• • Screw		
53	18836	1	• • Gasket		
54	240434	1	• • Shaft		
55	233424	1			
56	238128	1	• • Washer		
57	233103	2	• • Pin		
58	238608	1	• • Angle piece		
59	233071	X	• • Plate		TH = 0.2 MM
	233072	X	• • Plate		TH = 0.3 MM
	240568	X	• • Plate		TH = 0.5 MM
	233427	X	• • Plate		TH = 0.8 MM
60	233104	2	• • Pin		
61	239067	1	• • Screw		
62	239316	1	• • Lever		
63	955272	1	• • • Screw		
64	910112	1	• • Key		
65	241847	1	• • Screw		
66	244042	1	• • Round nut		
67	240063	1	• Sealing ring		
68	233091	1			
68A	955781	1	• • Nut		
69	238132	X	• • Adjusting washer		TH = 1.0 MM
	243053	X			TH = 1.5 MM
	240065	X	• • Washer		TH = 2.5 MM
70	842457	1	• • Washer		
71	239927	1	• Guide screw		
72	18836	1	• Gasket		
73	6210711	1	• Screw		L = 25 MM
	238425	1	• Screw		L = 30 MM
	233075	1			L = 35 MM
	240068	1	• Screw		L = 40 MM
	240069	1			L = 45 MM
	240070	1	• Screw		L = 50 MM
74	955781	1	• Nut		
75	241116	6	• Screw		
76	240436	1	• Screw		
77	239889	1	• Gasket		
78	241738	1	• Smoke limiter		
				02C-0900	
79	240919	1	• Plug		