



REF	PART NO.	QTY	DESCRIPTION	SEE SEC.	NOTES
1	243829	1	Centrifugal governor		
2	240856	1	• Hub		
3	241123	1	• Cardboard tube		
4	238106	X	• Adjusting washer		TH = 1.60 MM
	238105	X	• Adjusting washer		TH = 1.65 MM
	233090	X	• Adjusting washer		TH = 1.70 MM
	233415	X	• Adjusting washer		TH = 1.75 MM
	233089	X	• Adjusting washer		TH = 1.80 MM
	233414	X	• Adjusting washer		TH = 1.85 MM
	233088	X	• Adjusting washer		TH = 1.90 MM
	233413	X	• Adjusting washer		TH = 1.95 MM
	233087	X	• Adjusting washer		TH = 2.00 MM
	240563	X	• Washer		TH = 2.05 MM
	240564	X	• Washer		TH = 2.10 MM
5	240678	1	• Nut		
6	241122	1	• Companion flange		
7	233130	4	• Rubber damper		
8	233052	1	• Screw kit		
9	955892	1	• • Washer		(241099)
10	955781	2	• • Nut		
11	233061	1	• • Washer		
12	243084	2	• Spring		
13	239298	2	• Spring disc		TH = 3.75 MM
	239299	2			TH = 2.45 MM ALT
	239297	2			TH = 3.60 MM ALT
14	233417	2	• Spring		
15	243085	2	• Spring		
16	243086	2			
17	233082	2			
18	241769	1			
19	240059	2	• • Bushing		
20	239908	2	• Gasket		
21	233404	1	• Shaft		
22	240060	1	• Lever		
23	240061	1	• Spring		
24	233441	1	• Lock screw		
25	25703	2	• Washer		
26	233372	X	• Washer		
27	907824	2	• Cotter pin		
28	77582	1	• Key		
29	244161	8	• Screw		
30	941906	9	• Spring washer		
31	241801	1	• Adjusting screw		
32	240682	1	• Link section		
33	240051	1	• Bushing		
34	955270	2	• Screw		
35	240565	2	• Striker plate		
36	243838	1	• Lever		
37	241766	1	• Link		
38	243447	1	• Screw		
39	907819	1	• Cotter pin		
40	240854	1			
41	907819	1	• Cotter pin		
42	241138	1	• Screw		

REF	PART NO.	QTY	DESCRIPTION	SEE SEC.	NOTES
43	941905	1	• Spring washer		
44	240054	1			
45	240567	1	• Spring disc		
46	240688	2	• Plug		
47	240689	2	• Gasket		
48	240120	1	• Bushing		
49	240058	1	• Gasket		
50	243839	1	• Cover		
51	240691	2	• • Bushing		
52	240570	1	• • Screw		
53	18836	1	• • Gasket		
54	243848	1	• • Shaft		
55	244658	1	• • Link arm		(243841)
56	238128	1	• • Washer		
57	233103	2	• • Pin		
58	243842	1	• • Angle piece		
59	233071	X	• • Plate		TH = 0.2 MM
	233072	X	• • Plate		TH = 0.3 MM
	240568	X	• • Plate		TH = 0.5 MM
	233427	X	• • Plate		TH = 0.8 MM
60	233104	1	• • Pin		
61	842456	1	• • Screw		
62	239316	1	• • Lever		
63	955272	1	• • • Screw		
64	910112	1	• • Key		
65	243843	1	• • Screw		
66	244042	1	• • Round nut		
67	240063	1	• Sealing ring		
68	233091	1			
68A	955781	1	• • Nut		
69	238132	X	• • Adjusting washer		TH = 1.0 MM
69	240065	X	• • Washer		TH = 2.5 MM
70	842457	1	• • Washer		
71	239927	1	• Guide screw		
72	18836	1	• Gasket		
73	6210711	1	• Screw		L = 25 MM
74	243844	1	• Nut		
75	956097	6	• Screw		
76	240436	1	• Screw		
77	239889	1	• Gasket		
78	241738	1	• Smoke limiter		
79	240919	1	• Plug	02C-0900	