



REF	PART NO.	QTY	DESCRIPTION	SEE SEC.	NOTES
1	243829	1	Centrifugal governor		
2	6212208	1	Weight kit		
3	241123	1	· Cardboard tube		
4	238106	X	· Adjusting washer		TH = 1.60 MM
	244755	X	· Adjusting washer		TH = 1.65 MM
	244756	X	· Adjusting washer		TH = 1.70 MM
	244758	X	· Adjusting washer		TH = 1.75 MM
	244760	X	· Adjusting washer		TH = 1.80 MM
	244761	X	· Adjusting washer		TH = 1.85 MM
	233088	X	· Adjusting washer		TH = 1.90 MM
	233413	X	· Adjusting washer		TH = 1.95 MM
	233087	X	· Adjusting washer		TH = 2.00 MM
	240563	X	· Washer		TH = 2.05 MM
	244770	X	· Adjusting washer		(240564)
5	240678	1	· Nut		
6	244980	1	· Companion flange		
7	233130	4	· Rubber damper		
8	233052	1	· Screw kit		
9	955892	1	· · Washer		
10	955781	2	· · Nut		
11	233061	1	· · Washer		
12	243084	2	· Spring		
13	239298	2	· Spring disc		TH = 3.75 MM
	239299	2			TH = 2.45 MM ALT
	239297	2			TH = 3.60 MM ALT
14	233417	2	· Spring		
15	243085	2	· Spring		
16	243086	2			
17	233082	2			
18	241769	1			
19	240059	2	· · Bushing		
20	239908	2	· Gasket		
21	233404	1	· Shaft		
22	240060	1	· Lever		
23	240061	1	· Spring		
24	233441	1	· Lock screw		
25	25703	2	· Washer		
26	233372	X	· Washer		
27	907824	2	· Cotter pin		
28	77582	1	· Key		
29	244161	8	· Screw		
30	941906	9	· Spring washer		
31	241801	1	· Adjusting screw		
32	240682	1	· Link section		
33	240051	1	· Bushing		
34	955270	2	· Screw		
35	240565	2	· Striker plate		
36	243838	1	· Lever		
37	241766	1	· Link		
38	243447	1	· Screw		
39	907819	1	· Cotter pin		
40	240854	1			
41	907819	1	· Cotter pin		
42	241138	1	· Screw		
43	941905	1	· Spring washer		
44	240054	1			
45	240567	1	· Spring disc		
46	240688	2	· Plug		
47	1698169	2	· Gasket		
48	240120	1	· Bushing		
49	240058	1	· Gasket		
50	243839	1	· Cover		
51	240691	2	· · Bushing		
52	240570	1	· · Screw		

REF	PART NO.	QTY	DESCRIPTION	SEE SEC.	NOTES
53	18836	1	· · Gasket		
54	243848	1	· · Shaft		
55	244658	1	· · Link arm		
56	238128	1	· · Washer		
57	233103	2	· · Pin		
58	243842	1	· · Angle piece		
59	233071	X	· · Plate		TH = 0.2 MM
	233072	X	· · Plate		TH = 0.3 MM
	240568	X	· · Plate		TH = 0.5 MM
	233427	X	· · Plate		TH = 0.8 MM
60	233104	2	· · Pin		
61	842456	1	· · Screw		
62	239316	1	· · Lever		
63	955272	1	· · · Screw		
64	910112	1	· · Key		
65	243843	1	· · Screw		
66	244042	1	· · Round nut		
67	864476	1	· O-ring		
68	233091	1			
68A	955781	1	· · Nut		
69	238132	X	· · Adjusting washer		TH = 1.0 MM
	240065	X	· · Washer		TH = 2.5 MM
70	842457	1	· · Washer		
71	239927	1	· Guide screw		
72	18836	1	· Gasket		
73	244553	1	· Screw		L = 25 MM
74	243844	1	· Nut		
75	956097	6	· Screw		
76	240436	1	· Screw		
77	239889	1	· Gasket		
78	241738	1	· Smoke limiter		
				02C-1050	
79	240919	1	· Plug		