



7030

REF	PART NO.	QTY	DESCRIPTION	SEE SEC.	NOTES
1	244696	1	Regulator		
2	243246	1			
				02C-1100	
3	6212208	1	Weight kit		
4	233052	1	• • Screw kit		COMPL
5	241123	1	• • Cardboard tube		
6	244980	1	• • Companion flange		
7	233130	4	• • Rubber damper		
8	238106	X	• • Adjusting washer		TH = 1.60 MM
	244755	X	• • Adjusting washer		TH = 1.65 MM
	244756	X	• • Adjusting washer		TH = 1.70 MM
	244758	X	• • Adjusting washer		TH = 1.75 MM
	244760	X	• • Adjusting washer		TH = 1.80 MM
	244761	X	• • Adjusting washer		TH = 1.85 MM
	233088	X	• • Adjusting washer		TH = 1.90 MM
	233413	X	• • Adjusting washer		TH = 1.95 MM
	233087	X	• • Adjusting washer		TH = 2.00 MM
	240563	X	• • Washer		TH = 2.05 MM
	244770	X	• • Adjusting washer		(240564)
9	240678	1	• • Nut		
10	243087	2	• Washer		
11	241764	2	• Spring		
12	244710	2			ALT 1
	244711	2			ALT 2
	244712	2			ALT 3
13	244714	2	• Washer		
14	244715	2	• Spring		
15	244713	2	• Spring		
16	244414	2	• Spring		
17	244622	2	• Spring disc		
18	239300	4	• Adjusting washer		
19	244623	2	• Nut		
20	240051	1	• Bushing		
21	241801	1	• Adjusting screw		
22	240682	1	• Link section		
23		2	• SCREW		
24	240565	2	• Striker plate		
25	240683	1	• Arm		
26	244397	1	• Link yoke		
27	243447	1	• Screw		
28	907819	1	• Cotter pin		
29	244986	1	• Guide lug		
30	907819	1	• Cotter pin		
31	956076	2	• Screw		
32	941905	2	• Spring washer		
33	244718	1	• Washer		
34	244719	1	• Spring		
35	241765	1	• Housing		COMPL
36		1	• • HOUSING		
37	240059	2	• • • Bushing		
38	233404	1	• • Shaft		
39		2	• • SPLIT PIN		
40	77582	1	• • Key		
41	240061	1	• • Spring		
42	240060	1	• • Lever		
43	241102	1	• • Screw		
44	239908	2	• • Gasket		
45	233372	X	• • Washer		
46	25703	1	• • Washer		
47	240689	2	• Gasket		
48	240688	2	• Plug		
49	240120	1	• Bushing		
50	240919	1	• Plug		
51	240058	1	• Gasket		

REF	PART NO.	QTY	DESCRIPTION	SEE SEC.	NOTES
52		8	· SCREW		
53	941906	8	· Spring washer		
54	244716	1	· Housing		COMPL
55		1	· · COVER		
56	240691	2	· · · Bushing		
57	240434	1	· · Shaft		
58	244666	1	· · Link arm		
59	238128	2	· · Washer		
60	233103	2	· · Pin		
61	244625	1	· · Striker plate		
62	244717	1	· · Elbow		
63	233071	X	· · Plate		TH = 0.20 MM
	233072	X	· · Plate		TH = 0.30 MM
	240568	X	· · Plate		TH = 0.50 MM
	233427	X	· · Plate		TH = 0.80 MM
64	233104	2	· · Pin		
65		1	· · SCREW		
66	941906	1	· · Spring washer		
67	233091	1			
68	864476	1	· · O-ring		
69	238132	X	· · Adjusting washer		TH = 1.0 MM
	240065	X	· · Washer		TH = 2.5 MM
70	239316	1	· · Lever		
71	955272	1	· · Screw		
72	910112	1	· · Key		
73	241988	1	· · Screw		
74	955781	1	· · Nut		
75	240570	1	· · Screw		
76	18836	1	· · Gasket		
77	244553	1	· Screw		
78	243844	1	· Nut		
79		1	· SCREW		
80	239889	1	· Gasket		
81	244554	5	· Screw		
82	239927	1	· Guide screw		
83	18836	1	· Gasket		