



REF	PART NO.	QTY	DESCRIPTION	NOTES
1	4774617	1	Starter motor	24V. OIL PROTECTED STARTER.
2		1	· HOUSING	
3		4	· POLE TERMINAL	
4	844413	1	· Field winding	
5	956350	8	· Screw	
6	6212614	1	· Rotor	(844414)
7	243091	1	· · Needle bearing	
8	244315	1	· Bearing shield	
9	240481	1	· · Bearing bushing	
10	240478	4	· · Brush spring	
11	240479	1	· · Terminal screw	
12A	955322	1	· · Screw	
13		1	· · INSUL PLATE	
14	241149	1	· · Connector kit	
15	6643672	1	· · Connector kit	
16	243089	1	· Carbon brush set	
17		1	· BEARING	
18	243172	1	· · Gasket	
20	240453	1	· · Roller bearing	
		1		
21	240455	1	· · Bearing bushing	
22	240456	1	· Bearing housing	
23	244539	1	· Disc clutch	
	6644414	1	· · Repair kit	TO 845108
24	243782	1	· · Washer	
25	6643674	1	· · Disc	(6643073)
26	244365	X	· · Adjusting washer	TH = 0.35 MM
	244366	X	· · Adjusting washer	TH = 0.40 MM
	244367	X	· · Adjusting washer	TH = 0.45 MM
	244368	X	· · Adjusting washer	TH = 0.50 MM
	244369	X	· · Adjusting washer	TH = 0.55 MM
	244370	X	· · Adjusting washer	TH = 0.60 MM
	244371	X	· · Adjusting washer	TH = 0.65 MM
27	243780	5	· · Disc	
28	243779	5		
29	243778	1	· · Clutch half	
30	243179	1	· · Stop ring	
31	241908	1	· · Lock ring	
32	243791	4	· · Pin	
33	243790	4	· · Spring	
34	6643675	1	· Starter pinion	
35	240473	1	· Key	
36	955246	4	· Screw	
37	941905	4	· Spring washer	
38	240457	1	· Spacer washer	
39	6643681	1	· Nut	
40	6643682	1	· Nut	
41	6643680	1	· Shaft	
42	844410	1	· · Washer	
43	6212617	1	· · Spring	
44	6212622	1	· · Ring	
45	184453	11	· · Ball	(844412)

